

| Summary Specification | | |
|---------------------------------|-----------------------------------|---------------|
| BIL. SEBUTHARGA/QUOTATION REF.: | <u>UBD/Q/033/2025 (FOS) - [G]</u> | |
| BIL. TAWARAN/TENDER REF. : | | |
| TARIKH DIKLANKAN : | <u>13 Mei 2025 [Selasa]</u> | |
| TARIKH TUTUP : | <u>27 Mei 2025 [Selasa]</u> | JAM: 2 Petang |
| DOCUMENT FEE : | | B\$ 10.00 |

IMPORTANT

The Official PDF quotation/tender form will be send via email once UBD Official receipt issued and send to vendors/supplier for confirmation of payment received.

Mode of Payments > REFER IN UBD WEBSITE

Please take note that the document fee for each of the New and Extended quotations will be BND 10.00 each

Important Note: Please ensure that you provide the correct details when making the payment.

Please email proof of the above payment to helpdesk.epay@ubd.edu.bn , finance@ubd.edu.bn,eprocurement.support@ubd.edu.bn.

| TITLE : | | <u>TO SUPPLY AND DELIVER GENERAL LAB CONSUMABLES TO ENVIRONMENTAL AND LIFE SCIENCES UNIVERSITI BRUNEI DARUSSALAM</u> |
|---------|----------|---|
| No. | Quantity | SPECIFICATIONS |
| 1 | 2 pks | Sterile microcentrifuge tubes • 1.5 mL capacity <ul style="list-style-type: none"> • Polypropylene formulation • Attached snap caps • Autoclavability. Autoclavable at 121°C. Interior Base Shape. Conical. • Volume. 1.5 mL • RNase, DNase, DNA, and pyrogen free. • Max operating temperature, 121°C./15psi for 15 minutes - a pack of 1000 |
| 2 | 2 pks | Sterile microcentrifuge tubes <ul style="list-style-type: none"> • 2.0 mL capacity • Polypropylene formulation • Attached snap caps • Autoclavability. Autoclavable at 121°C.. Interior Base Shape. Conical. • Volume. 2.0 mL • RNase, DNase, DNA, and pyrogen free. • Max operating temperature, 121°C. - a pack of 1000 |
| 3 | 5 boxes | Tissue L10 widers Size: 11 x 7 in (18 x 28 cm) Packing: 6 roll/ carton Paper: 1 ply With HACCP International Food Zone Primary (FZP) 29999 certification which means it is suitable for use in the food zone and short term contact with food. Designed to absorb or wipe excess oil, water and blood from food and surfaces, Strong when wet |
| 4 | 5 boxes | Tissue Multifold Size : 13 x 250s (24.0 x 23.0 cm) 38002 =4000 sheets 16 packs x 250 white, 1-ply sheets, individual sheet FSC™ certified |

| TITLE : | | <u>TO SUPPLY AND DELIVER GENERAL LAB CONSUMABLES TO ENVIRONMENTAL AND LIFE SCIENCES UNIVERSITI BRUNEI DARUSSALAM</u> |
|---------|----------|---|
| No. | Quantity | SPECIFICATIONS |
| 5 | 5 boxes | <p>Tissue Slimroll</p> <p>Size : 20 cm x 176 m</p> <p>Packing: 82280 6roll/ carton</p> <p>White Slimroll Paper Hand Towels consists of 6 rolls, each roll measuring 176m.</p> <p>Slimroll Paper Hand Towels are manufactured with absorbency for hand drying performance. This white paper towel roll is certified by HACCP International</p> |
| 6 | 2 boxes | <p>Antibacterial hand wash 1000ml</p> <p>Non drying antimicrobial handwash</p> <p>Colour: Clear, Unscented</p> <p>Foam Antibacterial Hand Soap contains 0.1% Benzalkonium Chloride. It is fragrance-free and dye-free. This formulation does not contain triclosan. Each single cartridge provides up to 2,500 dispenses.</p> |
| 7 | 2 boxes | <p>Specimen jar 100ml plastic cap with printed label</p> <p>Clarity : Clear and round shape</p> <p>Straight-Sided Wide-Mouth Polycarbonate Jars with Closure</p> <p>Excellent for cold room and refrigerated use — easy to see contents</p> <p>100 mL jars have natural polypropylene closures</p> <p>Not liquid leakproof</p> <p>Compatible with most weak acids, aliphatic alcohols and aliphatic hydrocarbons. Not for use with solvents, bases, strong acids, and other harsh laboratory chemicals.</p> <p>Autoclavable/Transparent</p> |
| 8 | 20 sets | <p>Insect catching nets</p> <p>- one full set with stick, hoop, white net (net with no holes)</p> <p>Size 15" Ring, 59" Handle</p> <p>Material Stainless Steel, Polyester</p> <p>Item Weight 0.25 Kilograms</p> <p>For Insect and Butterfly, Telescopic Bug</p> |
| 9 | 3 pks | <p>Clear biohazard autoclave bag</p> <p>size 620 x780mm 40 micro</p> <p>Printed with the biohazard symbol</p> <p>Strong, pliable, leak- and puncture-resistant.</p> <p>Marked with international symbols to alert others of the hazards contained within to ensure correct and safe handling</p> <p>High temperature steam autoclave Options: 121°C (250°F) , 135°C (275°F) , 145°C (293°F) , 165°C (329°F)</p> <p>(100 pcs/packs)</p> |
| 10 | 3 pks | <p>Transparent Clear Plastic Bag</p> <p>Size : 91 cm x 61 cm, 100/pk</p> <p>Color: Transparent</p> <p>Thickness: 25 micron</p> <p>Material: PP</p> <p>Closure: none</p> <p>Food safe: Yes</p> |

| TITLE : | | <u>TO SUPPLY AND DELIVER GENERAL LAB CONSUMABLES TO ENVIRONMENTAL AND LIFE SCIENCES UNIVERSITI BRUNEI DARUSSALAM</u> |
|---------|----------|--|
| No. | Quantity | SPECIFICATIONS |
| 11 | 3 pks | Battery 2026 Lithium Coin Cell Battery |
| 12 | 3 pks | Batteries 9V, - 9 volt alkaline battery - pack of 2 - 2.0 unit count - Up to 5-year shelf life so you'll always have power when you need it |
| 13 | 3 pks | Batteries AA - AA Batteries, Max Double A Battery Alkaline - 8.0 unit Count - a pack of 8 - batteries hold power for up to 12 years in storage |
| 14 | 5 pks | Batteries AAA - AAA Batteries, Triple A Alkaline Batteries - pack of 12 - 12.0 unit count - AAA battery pack contains long lasting batteries that hold power for up to 12 years in storage |
| 15 | 3 pks | Batteries LR 44 - LR44 1.5V Button Cell Battery - 10.0 unit count - pack of 10 LR44 Alkaline Button Cell Batteries Sealed Works in: Watches, computer motherboards, calculators, PDAs, electronic organizers, pedometers, calorie counters, stopwatches and medical devices. |
| 16 | 10 boxes | Microscope Glass cover No.1 - 20 x 20 mm square cover slips (No.1) - premium clear glass square cover slips for microscope slides - cover slip thickness 0.169 mm-0.22 mm - 1000 pcs per box of 10 units (10 unit per box) - sealed package |
| 17 | 1 pk | Sterile single used carbon steel surgical blades code no. 10 Order number 10.50 Length * 41.7 mm Width * 7.2 mm Material thickness * 0.4 mm Basic material carbon steel, sterile single use, durability and sharpness (100pcs/pk) |
| 18 | 1 pk | Sterile single used carbon steel surgical blades code no:11 Order number 11.50 Length * 41.5 mm Width * 5.9 mm Material thickness * 0.4 mm Basic material carbon steel, sterile single use, durability and sharpness (100pcs/pk) |

| TITLE : | | <u>TO SUPPLY AND DELIVER GENERAL LAB CONSUMABLES TO ENVIRONMENTAL AND LIFE SCIENCES UNIVERSITI BRUNEI DARUSSALAM</u> |
|---------|----------|--|
| No. | Quantity | SPECIFICATIONS |
| 19 | 10 pcs | Light bulb FL20S-EX-D/18 20W Fluorescent Light Bulb [99.2% Race Type for Noise, Radio Interference] LED Fluorescent Lamp, 20W Shape (15W), 2100 lm (High Efficiency), 22.8 inches (580 mm), 22.8 inches (58 cm) Fluorescent Light, 20 W Fluorescent Light, T10, G13 Rotation, Glow Type Construction Required, 20W LED Fluorescent Light, Straight Tube Tube Light with Built-in Power Supply Noise, No Radiation, No Flickering) Brightness of 2 Fluorescent Lights with 1 LED, Daylight 6,000 K |
| 20 | 1 pk | Sterile single used carbon steel surgical blades code no:24 Order number 24.50 Length * 56 mm Width * 10.8 mm Material thickness * 0.4 mm Basic material carbon steel, sterile single use, durability and sharpness (100pcs/pk) |