

Summary Specification	
BIL. SEBUTHARGA/QUOTATION REF.:	UBD/Q/037/2026 (FOS) - [G]
TARIKH DIKLANKAN :	12 Mei 2026 [Selasa]
TARIKH TUTUP :	26 Mei 2026 [Selasa] JAM: 2 Petang
DOCUMENT FEE :	B\$ 10.00

**Important Note:**

The Official PDF quotation/tender form will be send via email once UBD Official receipt issued and send to vendors/supplier for confirmation of payment received.

Please take note that the document fee for each of the New and Extended quotations will be BND 10.00 each

**Payment Information**

Quotations/tenders are identified as follows:

[G] – Kerajaan (Government Account)

Please ensure payment is made to the correct account:

[G] → UNIVERSITI BRUNEI DARUSSALAM [KERAJAAN]

Payment details and account numbers are available under "Mode of Payment" on the UBD website

**Note:** Please ensure that you provide the correct details when making the payment.

Please email proof of the above payment to [helpdesk.epay@ubd.edu.bn](mailto:helpdesk.epay@ubd.edu.bn) , [finance@ubd.edu.bn](mailto:finance@ubd.edu.bn), [eprocurement.support@ubd.edu.bn](mailto:eprocurement.support@ubd.edu.bn).

TITLE :		TO SUPPLY AND DELIVER GENERAL LAB CONSUMABLES TO ENVIRONMENTAL AND LIFE SCIENCES UNIVERSITI BRUNEI DARUSSALAM
No.	Quantity	SPECIFICATIONS
1	3 pks	Batteries 9V, energizer or Equivalent - 9 volt alkaline battery - pack of 2 - 2.0 unit count - Up to 5-year shelf life so you'll always have power when you need it
2	4 pks	Batteries AA - AA Batteries, Max Double A Battery Alkaline - 8.0 unit Count - a pack of 8 - batteries hold power for up to 12 years in storage
3	4 pks	Batteries AAA - AAA Batteries, Triple A Alkaline Batteries - pack of 12 - 12.0 unit count - AAA battery pack contains long lasting batteries that hold power for up to 12 years in storage
4	3 pks	Batteries LR 44 - LR44 1.5V Button Cell Battery - 10.0 unit count - pack of 10 LR44 Alkaline Button Cell Batteries Sealed Works in: Watches, computer motherboards, calculators, PDAs, electronic organizers, pedometers, calorie counters, stopwatches and medical devices.
5	8 boxes	Labogaz cartridge 36pcs/box Capacity: 190 g of gas. Gas Mixture: 80/20 Butane/Propane mix. System: Pierce-through cartridge (single-use). Compatibility: Designed for Campingaz® and Labogaz® "Clip & Go" pierceable appliances. Dimensions: Approximately 90mm diameter. Safety: Contains safety valve system to prevent gas leakage. Flame Temperature: Approx. 1100 °C (when used with Labogaz 206).
6	3 pks	Black rubbish bin bag 100 pcs/pack Size : 36" x 48" 28 microns Highest quality and have been endurance tested for leaks and puncture resistance Large : 100 pcs/pack
7	20 rolls	Superior cotton wool 300g The Superior Cotton Wool 300g is a high-absorbent, hygienically packed product made from 100% pure cotton, commonly used for medical and hygiene purposes. <u>Product Details &amp; Features</u> -Material: Made from 100% cotton. -Absorbency: Features a high water absorbency and water-releasing capability. -Packaging: It is hygienically packed in a 300g roll format. Uses: -Cleaning skin surfaces. -Cleaning wounds and use for medical solution padding. -General hygiene purposes.

8	10 units	Glassware graduated beaker clear 250 ml Graduated Beaker, low form, with spout Capacity (mL) 250 Outer Diameter d (mm) 70 Height h (mm)95 Marking Area : Graduation Interval Autoclavable Yes
9	10 units	Glassware graduated measuring cylinder clear 250 ml Capacity: 250 ml Material: Borosilicate glass 3.3 Graduation Interval: 2 ml Height: Approx. 331 mm Diameter: Approx. 39 mm Base: Hexagonal, stable Features: Clear, autoclavable, with white enamel graduation Temperature stable up to 250 °C without change in volume
10	20 units	Glassware 250 ml media bottle capacity 250 ml media bottle O.D body 70 mm Height 138 mm GL 45 Borosilicate Glass: Resistant to chemical and thermal shock; typical maximum temperature resistance up to 450°C. Graduations: Printed markings for easy, approximate measurements.
11	15 units	Filter funnel 45 mm DIN ISO 4798. With short stem. Glass Type I / neutral glass as per USP, EP and JP. Autoclavable. Dia. 45 mm Height 80 mm For filter paper 55 to 70 dia. Mm
12	3 units	Soil Hydrometer The Soil Analysis ASTM Hydrometer (34792001) is a specialized, durable, plastic hydrometer designed for determining the specific gravity of soil suspensions. ASTM Soil Hydrometer 152h. Measurement Range: 0.995 to 1.038 Specific Gravity or -5 to 60 g/L Graduation: 1.0 g/L Length: 280 mm Generally calibrated at 20deg cel (68F) to meet ASTM D7928, AASHTO T 88, or ASTM 151H/152H standards
13	10 units	Glassware graduated beaker clear 600 ml Graduated Beaker, low form, with spout Capacity (mL) 600 Outer Diameter d (mm) 89 Height h (mm) 125 Marking Area : Graduation Interval Autoclavable Yes
14	10 units	Volumetric flask 20 ml Capacity 20 ml Low temperature gradient- can withstand high temperatures & thermal shocks Single, white graduation mark
15	10 btl	Glo 900 ml or Equivalent 900 ml concentrated dish washing liquid mix (lemon/apple/pomegranate and yuzu/aloe vera)
16	3 btls	Chlorox 1L or Equivalent Kills 99.9% of bacteria and viruses Clean Disinfect Uses: Laundry whitening, disinfecting surfaces, and floor cleaning.
17	1 ctn	Antibacterial Hand soap (6 pc/ctn) Non drying antimicrobial handwash Colour : Clear, Unscented Foam Antibacterial Hand Soap contains 0.1% Benzalkonium Chloride. It is fragrance-free and dye-free. This formulation does not contain triclosan. Each single cartridge provides up to 2,500 dispenses.
18	5 btls	Dettol, 1L/btl or Equivalent Item Form Liquid Scent Unscented Multipurpose cleaner: Great for everyday personal and home hygiene Usage: Ideal to be used for First Aid, cleaning cuts and wounds. Disinfectant liquid: Antiseptic Liquid used to disinfect household items and surfaces. Item Volume 1 Litres

19	5 rolls	Heavy Duty Aluminium Foil 3.48m <sup>2</sup> (7.62m X 45.7cm) Size: 30cm x 7.62m, 12 in x 25 ft Thickness: 9 - 25 mi Heavy Duty Strength
20	3 pks	Sponge Heavy Duty Scrub Sponge, Yellow & Green. (pack of 4) Material Bamboo Surface Recommendation Por, Wood, Glass, Plastic, Stone
21	1 box	Parafilm M Sealing Film 4 in (10 cm) x 125 ft (38.1m) semi-transparent, flexible, thermoplastic film with two-way stretch Non-toxic and free from plasticizers, primarily composed of polyolefins and paraffin waxes offering good resistance against acids, alkalis and some organic solvents—use not recommended with acetone, diethyl ether or tetrachloride (box of 12 rolls)
22	5 rolls	Cling wrap roll Size : 20 ft 61 m x 30 cm Transparent, stretch, PVC Use for food packing