

TENDER NO: UBDCORP/Q/009/2026.

DIIKLANKAN: 10/09/2026 [KHAMIS]

TARIKH TUTUP: 24/09/2026 [KHAMIS] JAM 02:00 PETANG

DOCUMENT FEE: \$20.00

**IMPORTANT**

The official PDF /tender form will be send via email once UBDCorp Official receipt issued and send to vendors/supplier for confirmation of payment received.

Mode of payment REFER IN UBD WEBSITE

Please take note that the document fee for each of the new and extended quotations will be BND \$20.00 each.

IMPORTANT NOTE: Please ensure that you provide the correct details when making the payment. Please email proof of the payment to [office.ubdcorp@ubd.edu.bn](mailto:office.ubdcorp@ubd.edu.bn)

REF: UBDCORP/Q/009/2026

**TITLE: INSPECTION AND MAINTENANCE OF FIRE EXTINGUISHERS AND GAS EXTINGUISHERS SYSTEM (FM 200)**  
**AT THE CORE, MALE AND FEMALE RESIDENTIAL COLLEGE AND VISITING LECTURE CENTRE AT UNIVERSITI**  
**BRUNEI DARUSSALAM**

| ITEM | DESCRIPTION                                            | QTY | UNIT | RATE | AMOUNT |
|------|--------------------------------------------------------|-----|------|------|--------|
| 1    | <b><u>FIRE EXTINGUISHER (BOMBA APPROVED BRAND)</u></b> |     |      |      |        |
| 1.1  | <b><u>Dry Chemical powder</u></b>                      |     |      |      |        |
|      | a) 1.0 kg                                              |     |      |      |        |
|      | b) 2.0 kg                                              |     |      |      |        |
|      | c) 4.5 kg                                              |     |      |      |        |
|      | d) 6.0 kg                                              |     |      |      |        |
|      | e) 9.0 kg                                              |     |      |      |        |
|      | f) 25.0 kg trolley type c/w nozzle & hose              |     |      |      |        |
|      | g) 50.0kg trolley type c/w nozzle & hose               |     |      |      |        |
|      |                                                        |     |      |      |        |
| 1.2  | <b><u>Water CO2 Cartridge</u></b>                      |     |      |      |        |
|      | 9 litres Cartridge type                                |     |      |      |        |
|      |                                                        |     |      |      |        |
| 1.3  | <b><u>Carbon Dioxide (CO<sub>2</sub>)</u></b>          |     |      |      |        |
|      | 2.0 – 2.9 kg                                           |     |      |      |        |
|      | 4.0 – 5.0 kg                                           |     |      |      |        |
|      |                                                        |     |      |      |        |
| 1.4  | <b><u>Refilling of Fire Chemical Extinguisher</u></b>  |     |      |      |        |
|      | 1 kg of dry Dry Chemical Powder                        |     |      |      |        |
|      | 1 kg of CO <sub>2</sub>                                |     |      |      |        |
|      | 9 litres H <sub>2</sub> O                              |     |      |      |        |
|      |                                                        |     |      |      |        |
| 1.5  | <b><u>Accessories/parts</u></b>                        |     |      |      |        |
|      | Safety Pin                                             |     |      |      |        |
|      | Adhesive Label                                         |     |      |      |        |
|      | Instruction Label                                      |     |      |      |        |
|      | O-ring                                                 |     |      |      |        |

|  |                            |  |  |  |  |
|--|----------------------------|--|--|--|--|
|  | Quad ring                  |  |  |  |  |
|  | Pressure gauge 12 – 14 bar |  |  |  |  |

| ITEM | DESCRIPTION                                                | QTY | UNIT | RATE | AMOUNT |
|------|------------------------------------------------------------|-----|------|------|--------|
|      | Dip tube for H2O                                           |     |      |      |        |
|      | Dip tube for Dry Chemical type                             |     |      |      |        |
|      | a) Dip tube for CO2 type                                   |     |      |      |        |
|      | b) Discharge hose H2O type                                 |     |      |      |        |
|      | c) Discharge hose CO2 type                                 |     |      |      |        |
|      | d) Discharge hose Dry Chemical type                        |     |      |      |        |
|      | e) Valve body for CO2 type                                 |     |      |      |        |
|      | f) Refill 55 gm CO2 cartridge                              |     |      |      |        |
|      | g) Refill 75 gm CO2 cartridge                              |     |      |      |        |
|      | Sticker/Stencil                                            |     |      |      |        |
|      | Indoor fire Extinguisher cabinet                           |     |      |      |        |
|      | Outdoor Fire Extinguisher Cabinet                          |     |      |      |        |
|      | Fire Blanket                                               |     |      |      |        |
| 1.6  | <b><u>Servicing of Fire Extinguisher</u></b>               |     |      |      |        |
|      | Inspection <b>(every 3 months -Quarterly)</b> per building |     |      |      |        |
|      | Servicing per fire extinguisher cylinder                   |     |      |      |        |
|      | Hydrostatic Test for cylinder below 10kkg/9 liters         |     |      |      |        |
|      | Hydrostatic Test for cylinder 10 kg – 25 kg                |     |      |      |        |
|      | Hydrostatic Test for cylinder 25kg – 50 kg                 |     |      |      |        |
|      | Re spray to Bomba Spec. per cylinder                       |     |      |      |        |
| 2    | <b><u>Accessories/Parts</u></b>                            |     |      |      |        |
|      | Smoke Detector                                             |     |      |      |        |
|      | Heat Detector                                              |     |      |      |        |
|      | Manual Call Point                                          |     |      |      |        |
|      | Spare Glass for Manual Call Point                          |     |      |      |        |
|      | Gas Discharged sign lamp                                   |     |      |      |        |
|      | Evacuate Area Sign Lamp                                    |     |      |      |        |
|      | Gas Discharge Hose                                         |     |      |      |        |

|  |                      |  |  |  |  |
|--|----------------------|--|--|--|--|
|  | Gas Discharge Nozzle |  |  |  |  |
|--|----------------------|--|--|--|--|

| ITEM | DESCRIPTION                                                   | QTY | UNIT | RATE | AMOUNT |
|------|---------------------------------------------------------------|-----|------|------|--------|
|      | Electric Actuator                                             |     |      |      |        |
| 2.1  | <b><u>Servicing of Gas Extinguisher System</u></b>            |     |      |      |        |
|      | a) Inspection and Test <b>(quarterly)</b> per building System |     |      |      |        |
|      | b) Hydrostatic Test for each cylinder                         |     |      |      |        |
|      | c) Cylinder capacity 20 – 40 kg                               |     |      |      |        |
|      | d) Cylinder capacity 41 – 70 kg                               |     |      |      |        |
|      | e) Cylinder capacity 71 – 100 kg                              |     |      |      |        |
|      | f) Attended call for new building and existing building       |     |      |      |        |
|      | g) Electric Actuator                                          |     |      |      |        |
| 2.2  | <b><u>Servicing of Gas Extinguisher System</u></b>            |     |      |      |        |
|      | Inspection and Test <b>(quarterly)</b> per building System    |     |      |      |        |
|      | Hydrostatic Test for each cylinder                            |     |      |      |        |
|      | Cylinder capacity 20 – 40 kg                                  |     |      |      |        |
|      |                                                               |     |      |      |        |
|      | <b>TOTAL AMOUNT</b>                                           |     |      |      |        |